





- 04 Muck Away
- 06 Primary Aggregates
- 08 Recycled Aggregates
- 10 Fortis IBA Aggregate
- 12 Top Soil (Premium and Screened)
- 14 A Rookery Farm Recycling Facility

RAYMOND BROWN



MUCK AWAY

We operate a versatile fleet of tipper lorries, which have the latest specifications and safety technology and are fitted with "Superlite" bodies to achieve the maximum payloads for our customers.

Our vehicles, including a driver are available to hire for waste collection and disposal (muck away), haulage per load, per day, or on a contract mileage basis.

The fleet is accredited to the Fleet Operator Recognition Scheme (FORS) and Project Pictogram which is a fleet, business and community road safety initiative aimed at reducing risks across our roads.

Hazardous Muck Away

Raymond Brown has access to a network of fully licensed treatment facilities for hazardous and non-hazardous soils and is well-placed to meet its customers' duty of care responsibilities with transparent audit trails and advice on the most cos effective methods.

The company promotes the segregation and treatment of contaminated materials from brownfield and redevelopment sites which are transformed into materials that are suitable for use in restoration projects and the creation of new landforms such as golf courses or other developments.

By using UKAS accredited laboratories to test and classify your waste, we ensure disposing of your waste is compliant with Environmental Agency regulations and legislation.



PRIMARY AGGREGATES

Our full range of vehicles enables us to deliver any volume of primary aggregates from five tonnes upwards. We also welcome customers to any of our facilities should you wish to collect your own material.

We provide a full range of aggregates for all construction applications and our experienced production team can also offer a tailor made product to meet your specification.



10mm Shingle

A primary angular 10mm to 4mm shingle which is supplied from land based quarries. This smaller sized shingle can be used for hard landscaping, surfacing, drainage and as a decorative shingle.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Rookery Farm Recycling Facility in Fareham.

Uses: Shingle for surfacing, drainage, landscaping and decorative shingle.



20mm Shingle

A primary angular 20mm to 10mm shingle which is supplied from land based quarries. This medium sized shingle can be used for hard landscaping, surfacing, drainage and as a decorative shingle.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Rookery Farm Recycling Facility in Fareham.

Uses: Shingle for surfacing, drainage, landscaping and decorative shingle.



5mm Grit

Washed Grit is a coarse sharp sand from land based quarries which can be used for laying block paving or slabs, pipe bedding, concrete and when mixed with cement, it creates a floor screed material.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Rookery Farm Recycling Facility in Fareham.

Uses: Sand for pipe bedding, concrete, block paving, can be mixed it with cement to create floor screed.



Washed Sand

A sharp sand from land based quarries which can be used for laying block paving or slabs, rendering applications, pipe bedding, concrete and when mixed with cement, it creates a floor screed material.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Binnegar Quarry in Wareham.

Uses: Sand for pipe bedding, rendering applications, concrete, block paving, can be mixed it with cement to create floor screed.



40mm Shingle

A primary angular 40mm to 20mm shingle which is supplied from land based quarries. This larger sized shingle can be used for hard landscaping, surfacing, drainage and as a decorative shingle.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection.

Uses: Shingle for surfacing, drainage, landscaping and decorative shingle.



20mm All In Ballast

This is a blend of sharp sand and 20mm shingle which can be used for concrete mix and as a general drainage fill

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Rookery Farm Recycling Facility in Fareham.

Uses: Concrete mix, general drainage fill.



40mm Scalpings

A sub base product from land based quarries with 40mm stone down to dust.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Rookery Farm Recycling Facility in Fareham.

Uses: Sub base for road and highway construction, driveways, patios, footpaths and landscaping.



Type1 Limestone

A sub base product from land based quarries with 40mm stone down to dust.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Rookery Farm Recycling Facility in Fareham.

Uses: Larger construction and civil engineering purposes, including road and highway construction, pathways, driveways and landscaping.

06

RECYCLED AGGREGATES

Our full range of vehicles enables us to deliver any volume of recycled aggregates from five tonnes upwards. We also welcome customers to our facilities should you wish to collect your own material.

For a sample and to find out more information or to place an order, please call us on 023 8027 3750



Recycled Planings

Recycled planings can be used as an alternative to a traditional tarmac road and also for use as a sub base for haul roads, farm tracks and site roads.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonnes.

Uses: Alternative to a traditional tarmac road and also for use as a sub base for haul roads, farm tracks and site roads.



6F5 Recycled Crushed Concrete (75mm to dust)

Recycled aggregate which is suitable as a capping layer for larger road construction, civil engineering, driveways, landscaping, pathways and as a general fill material.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Rookery Farm Recycling Facility in Fareham.

Uses: Capping layer for larger road and highway construction, civil engineering, driveways, landscaping, pathways and as a general fill material.



Type1 Crushed Concrete (40mm to dust)

Recycled aggregate which is suitable as a sub base for larger road construction and civil engineering purposes and as a general fill material.

Available across: Hampshire, Dorset, Wiltshire, Berkshire and further afield if required.

Delivery: Between 5 – 29 tonne loads or smaller volumes are available for collection from our Rookery Farm Recycling Facility in Fareham.

Uses: Sub base for road construction and civil engineering purposes and general fill.



IBA Type1/6F4 Variant

IBA Aggregate is a sustainable and accepted alternative to Type 1, 6F4 and 6F5 capping and has been widely used in construction for over 20 years.

Available across: Hampshire, Dorset, Wiltshire, Oxfordshire, Berkshire, Surrey and further afield if required.

Delivery: Between between 5 – 29 tonnes.

Uses: IBA Aggregate can be used in two major applications. Unbound, it can be used for bulk fill and sub bases. When bound, it is ideal for road paving and construction blocks.



FORTIS IBA AGGREGATE


Fortis IBA Aggregate is a sustainable alternative to Type 1, 6F4 and 6F5 capping. It has been widely used in construction for over 20 years and has been approved by the Environment Agency, Highways England and local authorities with great success. IBA Aggregate can be used in two major applications. Unbound, it can be used for bulk fill and sub bases. When bound, it is ideal for road paving and construction blocks.

The business has seen considerable technological and plant investment in the last few years, resulting in the production of a high performing aggregate at a cost effective price. We have distributed over 1,000,000 tonnes of IBA Aggregate into the local construction industry, and in doing so, we have played an integral part in diverting over 4,000,000 tonnes of waste from landfill.

Our team are dedicated to operational and technical excellence. We will conduct a comprehensive site specific risk assessment, supporting every customer individually to ensure traceability and confidence in use of the material. This provides certainty and confidence for our clients as well as providing a reliable audit trail for all the IBA Aggregate we market.

- Helping to save our natural resources
 Diverting at least 95% residual municipal waste from landfill
 Generating electricity for the community
 Reducing carbon footprint by producing a valuable secondary aggregate locally
- Pozzolanic (cement-like) properties, enhancing its performance over primary aggregates
- Less tonnage needed per m³ vs. primary aggregates
- More cost effective than primary aggregates, due to it being exempt from the aggregate tax levy.

For more information on Fortis and to see contracts where it has been specified, please visit www.fortisiba.com or call us on 023 8027 3750.



TOP SOIL

Raymond Brown sell a Premium British Standard (BS) Top Soil and quality Screened Soil, which are both available for delivery from five tonnes upwards or for collection by commercial vehicles.



Premium BS Top Soil Benefits

Our premium quality top soil is an 80:20 blend of selected soil and Pas100 organic matter, blended and screened to 10mm. The end result produces a very high quality enriched top soil which is easy to use and maintain, as it contains a mature peat-free compost.

It is used for landscaping top soil, turfing top soil and top soil planting aspirations and is tested to the BS3882:2007 quality standard, a copy of the test analysis is available on request.

12mm Screened So.

Our 12mm screened soil has been put through a process, to remove any stones, weeds and other material that are 12mm or above. It is commonly used in large areas of landscaping, flower beds and rockeries.

35mm Screened Soi

Our 35mm screened soil has gone through a 40mm screen to remove items that are 35mm and above. It is commonly used in landscaping to raise ground levels and improve soil quality.

60mm Fill Materia

Our 60mm fill material is commonly used in construction and has been through a process to remove items that are 60mm and above.

BS and Screened Soil available for delivery in loads of five tonnes upwards to any of the following areas

Hampshire: Southampton, Romsey, Eastleigh, Portsmouth, Andover, Chichester, Gosport, Fareham, Waterlooville, Horndean, Rowland's Castle, Denmead, Havant

Oxfordshire: Oxford, Didcot, Abingdon, Wantage, Wallingford

Berkshire: Newbury, Thatcham, Hungerford

3S and Screened Soil available for collection by commercial vehicles from Rookery Farm Recycling Facility.

12

ROOKERY FARM RECYCLING FACILITY

Rookery Farm Recycling Facility is a recycling facility strategically located off the M27 near Fareham, accepting waste from both trade and commercial vehicles as well as Raymond Brown's own vehicles.

The Rookery Farm Recycling Facility produces 6F5 or Type1 crushed concrete and 12mm screened soil or premium quality topsoil which is tested to the BS3882:2007 quality standard.

Being close to the M27 and busy Fareham market, the facility also imports primary aggregates such as sharp sand, Type1 limestone, 40mm scalps, 10mm shingle and building sand for small load collections/sales.

COMMERCIAL TIPPING

Clean Soil & Stone Hardcore Clay & Chalk

Tarmac Hot Tarmac

Clean Concrete, hardcore and hot tarmac are all free to tip at Rookery Farm, subject to inspection.



Materials available for collection (1-30 tonne loads):



Rookery Farm Recycling Facility

Rookery Farm Recycling Facility Botley Road Swanwick SO31 1DR

Opening hours:

Mon - Fri 07:30am - 17:00pm Saturday 07:30am - 12 noon

14 15



2nd Floor, Fryern House 125 Winchester Road Chandler's Ford Hampshire SO53 2DR

T: 023 8027 3750

E: enquiries@raymondbrown.co.uk **W:** www.raymondbrown.co.uk